

EARTHWORKS

Introduction

Earthworks are a necessary part of subdivision, land use and development, but need to be managed to ensure that risks associated with land instability, sediment loss and increased natural hazards, and effects on amenity values, cultural values, strategic infrastructure and the natural environment are effectively addressed.

Earthworks provisions in the District Plan manage the scale, location and type of earthworks through threshold standards that apply to all zones. Various exemptions are ~~provided from rules included~~ within this chapter. The impact of earthworks on sensitive areas is dealt with in other chapters. This includes ~~Significant Natural Areas (SNAs), Outstanding Natural Landscapes or Features ONLs, ONFs, HNWB High Naturalness Water Bodies, Visual Amenity Landscapes VALs, the Flood Assessment Areas Overlay, the Coastal Environment Overlay, Sites and Areas of Significance to Māori SASM, Historic Heritage Items or historic heritage~~ Settings, and infrastructure.

In addition to the District Plan provisions, resource consent may also be required for earthworks under Regional Plan provisions and/or NESs National Environmental Standards.

In the event that an unidentified archaeological site or wāhi tapu site is located during any¹ earthworks, all earthworks must follow the Accidental Discovery Protocol contained in APP4 – Accidental Discovery Protocol.^{2 3}

Objectives

EW-O1	Earthworks activity
Earthworks facilitate subdivision, and the use and development of the District's land resource , while ensuring that its adverse effects on the surrounding environment are avoided or mitigated. ⁴	

Policies

EW-P1	Benefits and necessity
Recognise the benefits and necessity of earthworks for the subdivision, use and development of land, including earthworks for the provision of <u>network</u> utilities, and natural hazard mitigation <u>works</u> . ⁵	
EW-P2	Management and amenity
<u>Ensure</u> Require that any adverse effects of earthworks do not detract from the amenity values, the intrinsic values of ecosystems, and <u>the</u> environmental quality enjoyed by those living or working in the vicinity. ⁶	
EW-P3	Accidental discovery
Require accidental discovery protocols to ensure land disturbance avoids or mitigates adverse effects on sensitive material.	
EW-P4	Infrastructure
Protect <u>R</u> egionally <u>S</u> ignificant <u>I</u> nfrastructure from the adverse effects of earthworks.	
EW-P5	Land stability

¹ Section 42A Summary Statement, Paragraph 14(a)

² Clause 16(2) Amendments

³ Panel Decision Report Part 1, Section 4.3

⁴ Clause 16(2) Amendments

⁵ Clause 16(2) Amendments

⁶ Clause 16(2) Amendments

Only allow earthworks on steeper slopes and in proximity to boundaries where they will not impact significant adverse effects on land stability are avoided and other adverse effects are appropriately mitigated.⁷

Rules

Note: ~~Activities not listed in the rules of this chapter are classified as a permitted under this chapter.~~⁸ For certain activities, consent may be required by rules in more than one chapter in the District Plan. Unless expressly stated otherwise by a rule, resource consent is required under each of those rules. The steps plan users should take to determine which rules apply to any activity, and the status of that activity, are provided in Part 1, HPW — How the Plan Works - General Approach.

EW-R1	<p>Earthworks, excluding earthworks:</p> <ul style="list-style-type: none"> a. for tree planting, or the removal of trees not protected by the District Plan; b. for test pits, wells or boreholes permitted under a regional plan or where all necessary regional resource consents have been obtained; c. for infrastructure <u>that is identified as permitted, controlled or restricted discretionary in Sections A, B, C and E of the Energy, and Infrastructure eChapter and in TRAN-R1 to TRAN-5 and TRAN-R8 of the Transport eChapters of the District Plan;</u>⁹ d. required for maintenance of existing drains and ponds; e. for natural hazard mitigation works carried out by Timaru District Council or CRC Canterbury Regional Council that are permitted by the relevant <u>District Plan chapter or are within the bed of a lake or a river and are within the jurisdiction of the CRC;</u>¹⁰ f. for cemeteries, including pet cemeteries, and urupā; g. permitted under a National Environment Standard, unless otherwise subject to a rule in this <u>District Plan;</u> and h. within the building footprint, or within 2m of the outer edge of, a building that has building consent, or in relation to any area standard earthworks will be subject to a building consent¹¹, and that complies with EW-S3. This exemption does not apply to earthworks associated with retaining walls/structures which are not required for the structural support of the principal building on the site or adjoining site. 	
All Zones	<p>Activity status: Permitted</p> <p>Where:</p> <p>PER-1 EW-S1, EW-S2, EW-S3, EW-S4 and EW-S5 are complied with; and</p> <p>PER-2 <u>Except where an Archaeological Authority has been obtained from Heritage New Zealand Pouhere Taonga HNZPT, the</u></p>	<p>Activity status when compliance not achieved with PER-1: Restricted Discretionary</p> <p>Matters of discretion are restricted to:</p> <ol style="list-style-type: none"> 1. the matters of discretion of any infringed standard. <p>Activity status when compliance not achieved with PER-2: Restricted Discretionary</p>

⁷ Silver Fern Farms [172.96] and Alliance Group [173.99]

⁸ Clause 16(2) Amendment

⁹ Mr. Willis Recommendation – Hearing E, Hearing F Interim Reply

¹⁰ Clause 10(2)(b) Amendment - OWL [181.48] and [181.54]

¹¹ **Panel Decision Report Part 7, Section 3.6**

<p>earthworks shall be undertaken in accordance with the The Accidental Discovery Protocol commitment form, contained within APP4 - Form confirming a commitment to adhering to an Accidental Discovery Protocol, has been completed and submitted to Council, prior to the commencement of any earthworks.¹²</p>	<p>Matters of discretion are restricted to:</p> <ol style="list-style-type: none"> 1. the extent of potential adverse effects on sites where there is the potential for koiwi or artefacts to be discovered; <u>and</u> 2. whether there has been prior consultation with Te Rūnanga o Arowhenua and Heritage New Zealand Pouhere Taonga HNZPT; <u>and</u> 3. measures to avoid, remedy or mitigate potential adverse effects on potential koiwi or artefacts.
--	---

Standards		
EW-S1	Areas	
<p>1. General Rural Zone</p> <p>Rural Lifestyle Zone</p>	<p>The area of earthworks must be limited to as follows:</p> <ol style="list-style-type: none"> 1. for any primary production activity that is a Permitted Activity in the zone, there is no limit; and 2. for any ancillary rural earthworks, there is no limit; and 3. for other activities: 2,000m² in any 12-month period per site. 	<p>Matters of discretion are restricted to:</p> <ol style="list-style-type: none"> 1. dust nuisance, sedimentation, land instability, erosion and contamination effects; and 2. the impact on the road network, of heavy vehicle and other vehicular traffic generated as a result of earthworks; and 3. the impact on visual amenity and landscape character; and 4. the impact on any overland flow paths.¹³
<p>2. General Residential Zone</p> <p>Medium Density Residential Zone</p>	<p>The area of earthworks must be limited to 250m² in any 12-month period per site.</p>	<p>Matters of discretion are restricted to:</p> <ol style="list-style-type: none"> 1. dust nuisance, sedimentation, land instability, erosion and contamination effects; and 2. the impact on the road network, of heavy vehicle and other vehicular traffic generated as a result of earthworks; and 3. the impact on visual amenity and landscape character; <u>and</u>¹⁴ 4. the impact on any overland flow paths.¹⁵ 5. <u>where the earthworks are within a wāhi tūpuna, wāhi taoka or wāhi tapu overlay:</u> <ol style="list-style-type: none"> a. <u>whether Te Rūnanga o Arowhenua has been</u>

¹² Heritage NZ [114.37]

¹³ Clause 16(2) Amendment, Hearing F Interim Reply

¹⁴ Clause 16(2) Amendment

¹⁵ Clause 16(2) Amendment, Hearing F Interim Reply

		<p><u>consulted, the outcome of that consultation, and the extent to which the proposal responds to, or incorporates the outcomes of that consultation; and</u></p> <p><u>b. the proposal’s consistency with the values identified in SCHED6 — Schedule of Sites and Areas of Significance to Kāti Huirapa; and</u></p> <p><u>c. the potential adverse effects, including on sensitive tangible and/or intangible cultural values; and</u></p> <p><u>d. whether there are alternative methods, locations or designs that would avoid or mitigate the impact of earthworks on the values associated with the SASM site or area of significance;</u> and</p> <p><u>e. the appropriateness of any mitigation measures proposed, including the need for an accidental discovery protocol; and</u></p> <p><u>f. the extent to which the proposed activity provides an opportunity to recognise Kāti Huirapa culture, history and identity associated with the SASM site/area, and any potential to:</u></p> <ul style="list-style-type: none"> <u>i. affirm the connection between mana whenua and place; or</u> <u>ii. enhance the cultural values of the SASM site/area; or</u> <u>iii. provide for the relationship of Kāti Huirapa with their taoka; or</u> <u>iv. maintain or enhance the ability of Kāti Huirapa to access and use the SASM Site or Area of Significance commensurate with the scale and nature of the proposal; and</u>
--	--	---

		<p>g. <u>where the earthworks will remove indigenous vegetation, the nature of any effects on mahika kai and other customary uses.</u>¹⁶</p>
<p>3. Settlement Zone</p> <p>Commercial and mixed use zones</p> <p>General Industrial Zone</p> <p>PREC-8 Clandeboye Dairy Manufacturing Zone Precinct^{17,18}</p> <p>Open Space and Recreation zones</p> <p>Port Zone</p> <p>Māori Purpose Zone</p>	<p>The area of earthworks must be limited to 2,000m² in any 12-month period per site.</p>	<p>Matters of discretion are restricted to:</p> <ol style="list-style-type: none"> 1. dust nuisance, sedimentation, land instability, erosion and contamination effects; and 2. the impact on the road network, of heavy vehicle and other vehicular traffic generated as a result of earthworks; and 3. the impact on visual amenity and landscape character; and 4. the impact on any overland flow paths.¹⁹ 5. <u>where the earthworks are within a wāhi tūpuna, wāhi taoka or wāhi tapu overlay:</u> <ol style="list-style-type: none"> a. <u>whether Te Rūnanga o Arowhenua has been consulted, the outcome of that consultation, and the extent to which the proposal responds to, or incorporates the outcomes of that consultation; and</u> b. <u>the proposal’s consistency with the values identified in SCHED6 — Schedule of Sites and Areas of Significance to Kāti Huirapa; and</u> c. <u>the potential adverse effects, including on sensitive tangible and/or intangible cultural values; and</u> d. <u>whether there are alternative methods, locations or designs that would avoid or mitigate the impact of earthworks on the values associated with the SASM site or area of significance; and</u> e. <u>the appropriateness of any mitigation measures proposed</u>

¹⁶ Ms. White Recommendation – Hearing E

¹⁷ Fonterra [165.95]

¹⁸ **Schedule 1 cl10(2)(b) relating to correct reference to the Clandeboye Dairy Manufacturing Precinct.**

¹⁹ Clause 16(2) Amendment, Hearing F Interim Reply

		effects. ²² adverse effects on the margins of water bodies. ²³
EW-S3		Setbacks
All Z<u>z</u>ones	Earthworks involving filling and/or excavation must not exceed 0.5m in depth or height <u>below or above existing</u> ground level ²⁴ within 1.5m of any site boundary.	Matters of discretion are restricted to: 1. sedimentation and land instability effects; and 2. the impact on outlook and privacy. ; and
EW-S4		Rehabilitation and reinstatement
All Z<u>z</u>ones	1. No more than 12 months after the earthworks commenced and on completion of the earthworks, the area of land disturbed as a result of the earthworks must be: a. built upon; or b. sealed with hardstand material; or c. landscaped; or d. recontoured and replanted.	Matters of discretion are restricted to: 1. the impact on visual amenity, landscape character and outlook; and 2. potential dust nuisance, sedimentation, land instability and erosion; and 3. the impact on the area's surface water; and 4. the nature of the vegetation proposed.
EW-S5		Earthworks in proximity of the National Grid and/or a 66kV electricity distribution line, excluding earthworks for: a. a network utility as part of an electricity transmission activity; or b. agricultural or domestic cultivation; or c. the repair, sealing or resealing of a road, footpath, driveway or farm track.
All Z<u>z</u>ones	1 Any earthworks must not exceed a depth or fill of 300mm within a distance measured 12m from the outer visible edge of any National Grid support structure; or 2 1 Earthworks within 12 metres of the centre line of a 110kV or a 220kV National Grid transmission line or within 10m metres of the centre line of a 66kV transmission line must: a. be no deeper or higher than 300mm <u>below or above ground level</u> ²⁵ within 6m of a foundation of a transmission line support structure; and	Matters of discretion are restricted to: 1. the risk to the structural integrity of the transmission line support structure; and 2. compliance with NZECP 34:2001; and 3. the effects on the ability of the <u>network</u> utility operator to operate, upgrade and develop the National Grid and transmission lines, including

²² TRONT [185.8] – Memorandum of Rachael Pull, 31 March 2025, page 4

²³ Clause 16(2) Amendment, Hearing F Interim Reply

²⁴ ECan [183.4]

²⁵ ECan [183.4]

- b. be no deeper than 3m below ground level²⁶ when:
- i. between 6 and 12 metres from the foundation of a 110kV or a 220kV National Grid transmission line support structure; or
 - ii. between 6m and 10m metres from the foundation of a 66kV transmission line support structure; and
 - iii. c. not result in a reduction in the ground to conductor clearing distances below what is required by Table 4 in NZECP 34:2001, unless the requirements of Clause 2.2.3 of NZECP 34:2001 are met.

ongoing safe and direct access.

Note: EI-R26 applies to any Earthworks and land disturbance within the National Grid Yard are assessed in EI-R28.²⁷

Advice Note:

~~In the event that an unidentified archaeological site or a waahi tapu site is located during any earthworks, the following applies:~~

- ~~1. The earthworks must cease immediately at that place and within 20m around the site.~~
- ~~2. Heritage New Zealand Pouhere Taonga must be notified and apply for the appropriate authority if required.~~
- ~~3. Te Rūnanga o Ngāi Tahu must be notified of the discovery and ensure site access to enable appropriate cultural procedures and tikanga to be undertaken.~~
- ~~4. If human remains (koiwi) are uncovered then the Heritage New Zealand Pouhere Taonga, NZ Police and Te Rūnanga o Ngāi Tahu must be notified. Remains are not to be moved until such time as iwi and Heritage New Zealand have responded.~~
- ~~5. Works affecting the archaeological site shall not resume until Heritage New Zealand Pouhere Taonga, the Police (if skeletal remains are involved) and Te Rūnanga o Ngāi Tahu have each given the necessary approval for work to continue.~~

~~Evidence of archaeological sites can include oven stones, charcoal, shell middens, ditches, banks, and pits, building foundations, artefacts of Māori and Non-Māori origin or human burials.~~²⁸

²⁶ ECan [183.4]

²⁷ Transpower [159.89] and Section 42A Summary Statement, Paragraph 8

²⁸ Clause 16(2) Amendment