

This section has rules that have legal effect. Please check the ePlan to see what the legal effect is or subject to appeal.

SUBDIVISION

Introduction

Subdivision is the process of dividing a site or building into one or more additional legal allotments or changing the location of the existing legal boundaries. Subdivision design influences future patterns of land use and can have a significant impact on the character of the environment and associated amenity values. It enables the intensification of land uses that in turn increases the level of activity, density of built form, traffic generation and demand on infrastructure services. It is important that the design of a subdivision:

- provides allotments that are an appropriate size and shape to accommodate the anticipated land uses;
- appropriately responds to any important natural, physical, cultural, historical or ecological features, values or constraints within or adjoining the site;
- appropriately responds to any potential impacts on infrastructure and risks from natural hazards;
- provides appropriate legal and physical access;
- provides appropriate connections to transport infrastructure and network utility services; and
- integrates with surrounding neighbourhoods.

The subdivision process also provides for the creation of esplanade reserves or esplanade strips adjacent to the coast and rivers to enable public access, recreation or the management of conservation values.

This chapter contains objectives, policies and rules for subdivision. The following chapters also contain rules that relate to subdivision:

- ~~Coastal Environment~~
- ~~Drinking Water Protection~~
- ~~Ecosystems and indigenous biodiversity~~
- ~~Energy and Infrastructures¹~~
- Financial contributions
- ~~Historic Heritage~~
- ~~Natural Hazards²~~
- Noise
- Public Access
- ~~Sites and Areas Significant to Māori~~
- ~~Versatile Soils³~~
- Future Development Area; and
- Development Area

Other district-wide chapters may also contain provisions that are relevant to subdivision, for example, the Earthworks Chapter contains rules that will require consent for earthworks associated with subdivision.

The Future Development Areas ~~e~~Chapter and its associated overlay indicates the locations for future growth and when that growth can occur. The ~~D~~evelopment ~~A~~area chapters states requirements for new subdivision and development to ensure the areas is are development developed⁴ appropriately.

¹ Clause 10(2)(b), Schedule 1 of the RMA relying on Speirs, B [66.45 to 66.54]

² Clause 10(2)(b), Schedule 1 of the RMA relying on Speirs, B [66.45 to 66.54]

³ Clause 10(2)(b), Schedule 1 of the RMA relying on Speirs, B [66.45 to 66.54]

⁴ Clause 16(2), Schedule 1 of the RMA

Objectives

SUB-01	General subdivision design
New subdivisions will: 1. accord with the purpose, character and qualities of the zone; and 2. respond positively to the physical <u>and associative</u>⁵ characteristics of the site and its context; and 3. maintain and enhances⁶ amenity values and the quality of the environment; <u>and</u>⁷ 4. be accessible, connected and integrated with surrounding neighbourhoods; and 5. protect significant-identified⁸ natural and cultural values; and 6. respond appropriately to <u>natural</u> hazards, risks and site constraints; and 7. have infrastructure and facilities appropriate for the intended use; and 8. <u>avoid where possible, and otherwise remedy or mitigate</u> have minimal⁹ adverse effects on regionally¹⁰ significant infrastructure or <u>intensive</u>¹¹ primary production; and 9. provide for the health, wellbeing and safety of people; <u>and</u>¹² 10. not intentionally prevent, hinder or limit the <u>use or</u>¹³ development of adjoining or adjacent land, <u>including by way of reverse sensitivity effects</u>¹⁴.	
SUB-02	Infrastructure
Infrastructure required to serve subdivision is provided in an integrated, efficient and co-ordinated manner.	
SUB-03	Rural subdivision
Subdivision in the rural zones will: 1. <u>minimise-avoid</u>¹⁵ the fragmentation of productive land in the General Rural Zone; and 2. maintain the low-density open character of the General Rural Zone; and 3. maintain a contrast between the rural environment and adjoining urban, Rural Lifestyle <u>Zone</u> and Settlement <u>Zones</u>; and 4. <u>avoid where possible, and otherwise</u>¹⁶ minimise reverse sensitivity effects on <u>intensive</u>¹⁷ primary production.	
SUB-04	Residential subdivision
Subdivision in residential zones will: 1. respond positively to the site's and area's¹⁸ natural and physical features that provide amenity and contribute to local character and sense of place; and 2. ensure safe, connected, and accessible neighbourhoods; and 3. provide for consolidation of residential zones outside of the Gleniti Low Density Residential Specific Control Areas and PREC1 - Old North General Residential Precinct; and 4. provide appropriate levels of accessible, well-designed¹⁹ open space.	

⁵ TRoNT [185.58]

⁶ Clause 16(2), Schedule 1 of the RMA

⁷ Clause 16(2), Schedule 1 of the RMA

⁸ TRoNT [185.58]

⁹ Clause 10(2)(b), Schedule 1 of the RMA relying on Fonterra [165.83], Hort NZ [245.65], NZPIB [247.15]

¹⁰ Clause 16(2), Schedule 1 of the RMA

¹¹ Clause 10(2)(b), Schedule 1 of the RMA relying on Fonterra [165.83], Road Metals [169.30], FH [170.30], Hort NZ [245.65]

¹² Clause 16(2), Schedule 1 of the RMA

¹³ Fonterra [165.82]

¹⁴ Fonterra [165.82]

¹⁵ NZPIB [247.15]

¹⁶ Fonterra [165.83], Hort NZ [245.65], NZPIB [247.15]

¹⁷ Fonterra [165.83], Road Metals [169.30], FH [170.30], Hort NZ [245.65]

¹⁸ Clause 16(2), Schedule 1 of the RMA

¹⁹ Clause 16(2), Schedule 1 of the RMA

SUB-O5	Public access and esplanade reserves and Eesplanade strips
---------------	--

Public access and esplanade reserves and esplanade strips created through subdivision will:

1. contribute to the protection of conservation values; and
2. provide for public access to and along identified rivers and the sea, except where in accordance with PA-P4²⁰; and
3. provide public recreational uses along the waterways and coast where the use is compatible with conservation values.

Policies

All Subdivisions

SUB-P1	Subdivision
---------------	--------------------

Require subdivision design to accord with the purpose, character and qualities of the applicable zone.

SUB-P2	Subdivision of land within sensitive environments
---------------	--

Only allow subdivision containing identified sensitive environments that will:

1. not compromise the identified natural and cultural values; and
2. protect people and property from the identified natural hazards and risks; and
3. achieve the objectives and policies of the relevant chapter(s) in Part 2 – District Wide Matters.

SUB-P3	Disruptive Subdivision
---------------	--

Avoid subdivisions that ~~are intended to~~²¹ prevent, hinder or limit the development of adjoining or adjacent land, unless it is done to comply with a Council approved DAP Development Area Plan.

SUB-P4	Quality of the environment and amenity
---------------	---

Require subdivision to maintain and enhance amenity values and the quality of the environment by ensuring subdivision design:

1. responds positively to ~~the associational~~²² natural and physical features and their associative values²³ such as underlying landscape, topography and established trees and vegetation that provide amenity, contribute to local character and sense of place; and
2. aligns streets to focus on significant views or landmarks; and
3. provide street trees and landscaping; and
4. avoids, remedies or mitigates adverse effects on the water quality, soil resources and important ecosystems.

²⁰ TDC [42.37]

²¹ Fonterra [165.84]

²² TRoNT [185.60]

²³ TRoNT [185.60]

SUB-P5	Reverse Ssensitivity
Only allow subdivision that does not result in reverse sensitivity effects that would compromise the <u>safe and efficient</u> ²⁴ operation of regionally significant infrastructure/facilities and <u>lifeline utilities</u> ²⁵ , <u>legally</u> ²⁶ <u>lawfully</u> ²⁷ established <u>intensive</u> ²⁸ primary production, <u>or industrial activities</u> ²⁹ .	
SUB-P6	Infrastructure
Ensure subdivision is serviced sustainably with infrastructure by requiring: 1. infrastructure to be installed at the time of subdivision, except for on-site infrastructure that cannot be constructed until the buildings are designed; and 2. certainty that infrastructure networks have sufficient capacity to accommodate the additional development, or requiring any necessary upgrades to be completed at the time of subdivision; and 3. allotments to connect to the Council's reticulated systems where available; and 4. incorporation of water sensitive design measures and on-site stormwater infrastructure; and 5. new infrastructure to comply with the Energy and Infrastructure Chapter; and 6. infrastructure to be provided efficiently and integrated with existing or planned infrastructure; <u>and</u>³⁰ 7. the consideration of multi-nodal transport links (including active transport links) and connected transport networks that allow ease of movement to, from and within the area; <u>and</u>³¹ 8. sufficient legal and physical access to each allotment; and 9. <u>requiring</u>³² allotments to have access to a water supply suitable for firefighting; <u>and</u> 10. <u>infrastructure to maintain or enhance Kāti Huirapa values onsite and downstream</u>³³.	
SUB-P7	Esplanade reserves and <u>esplanade</u> strips
1. Identify margins of the coast or rivers in SCHED12 - Schedule of Esplanade Provisions where the provision of an esplanade reserve or <u>esplanade</u> strip would contribute to enabling public access, recreational use, and/or contribute to the protection of conservation values by; a. maintaining or enhancing the natural functioning of the adjacent sea <u>or</u>, river, <u>or lake</u>; or b. maintaining or enhancing water quality; or c. maintaining or enhancing aquatic habitats; or d. protecting the natural values associated with the esplanade reserve or esplanade strip; or e. mitigate natural hazards; and 2. Require esplanade reserves or esplanade strips to be created when land is subdivided on the margins of the coast and rivers listed in SCHED12 -Schedule of Esplanade Provisions); and 3. Only allow the minimum width of a required esplanade reserve or <u>esplanade</u> strip to be reduced, or the requirement for an esplanade reserve or <u>esplanade</u> strip to be waived where: a. it is impractical to provide all or part of the required esplanade reserve or esplanade strip due to the physical characteristics and/or constraints of the site; or b. providing the esplanade reserve or esplanade strip at the required minimum width would create a risk to public health or safety; or c. the purpose of the required esplanade reserve or esplanade strip can be appropriately provided for by alternative means, including within the allotments created by subdivision; or	

²⁴ KiwiRail [187.162]

²⁵ RNZ [152.48]

²⁶ Fonterra [165.85], Road Metals [169.31], FH [170.31]

²⁷ Road Metals [169.31], FH [170.31]

²⁸ Fonterra [165.185], Road Metals [169.31], FH [170.31], Hort NZ [245.68]

²⁹ SFF [172.74], Alliance [173.74]

³⁰ Clause 16(2), Schedule 1 of the RMA

³¹ Clause 16(2), Schedule 1 of the RMA

³² Clause 16(2), Schedule 1 of the RMA

³³ TRoNT [185.61]

- d. the reduced width is sufficient to protect the identified public access, recreation, or conservation values, or to provide for natural hazard mitigation works; or
- e. the costs of acquiring and/or maintaining the required esplanade reserve or esplanade strip would outweigh the potential public benefit; and

- 4. encourage access strips to be provided to connect esplanade reserves and esplanade strips with public open spaces, roads, pedestrian paths or cycleways.

Note: The policies in the Public Access Chapter are also relevant to any resource consent application to waive or reduce the width of a required esplanade reserve or esplanade strip.

Residential Subdivision

SUB-P8	Public open space
Consider requiring the creation of public open spaces at the time of subdivision in residential zones. The following matters are relevant to that consideration: 1. the size of the open space needed for the catchment it serves; and 2. proximity of the land and opportunities to integrate the open space with existing or planned open space networks, parks, esplanade strips, residential area and transport networks, including walkways and cycleways; and 3. Council's capacity to pay for maintenance and improvements; and 4. suitability of the land to be developed for the required purpose, including any potential for enhancement and considering the soils, gradient, and topography; and 5. landscape features and quality of the land, including surface water-bodies, and the potential for views into or from the site; and 6. ecosystems and biodiversity associated with the land and surrounding area, including any significant indigenous biodiversity, mature vegetation, or existing shelter-belts; and 7. historic <u>heritage</u> and cultural significance of the land; and 8. safety of users, including the absence of hazards and any vulnerability to natural hazards.	
SUB-P9	Residential subdivision
Require residential subdivision to accord with the purpose, character and qualities of the zone, and maintain and enhance amenity values, by ensuring: 1. the subdivision design contributes to local character and sense of place; and 2. natural features and waterbodies are incorporated into the design; and 3. earthworks and land disturbance is minimised by designing building platforms that integrate into the natural landform; and 4. open space and street planting are incorporated into the design of larger scale subdivisions; and 5. streets are aligned with, and open spaces are designed to focus on, significant views or landmarks; and 6. the subdivision design maximises sunlight access, outlook and amenity including opportunities for future buildings to maximise solar gain, reduce energy and water consumption, and use renewable energy; and 7. conflict between residential activities and adjoining land uses are minimised.	
SUB-P10	Safe, connected and accessible neighbourhoods
Require residential subdivision to ensure safe, connected and accessible neighbourhoods by: 1. minimising the proliferation of vehicle crossings that could affect the safety of the transport network; and 2. limiting cul-de-sacs unless there are legal, physical or topographical constraints that inhibit connections to other roads; and	

3. providing a road and access design that creates a safe and accessible environment for pedestrians, cyclists, children, elderly and the disabled; and
4. providing spaces that encourage social interaction and neighbourhood cohesion; and
5. providing a variety of travel modes and connections to roads, public transport, nearby shops, schools, employment open spaces and other activities; and
6. providing ~~the~~³⁴ passive surveillance of street, parks, walkways and public areas and by ensuring the principles of APP3 – National Guidelines for Crime Prevention Through Environmental Design in New Zealand (CPTED) are incorporated into the design.

SUB-P11 Residential ~~H~~intensification

Provide for consolidation of residential zones outside of the Gleniti Low Density Residential Specific Control Areas and PREC1 - Old North General Residential Precinct by:

1. enabling a variety of residential units within the constraints of the allotment size anticipated by the zone; ~~and~~³⁵
2. not specifying a minimum allotment size in the Medium Density Zone for joint subdivision and land use applications to ensure flexibility and comprehensive consideration of applications; and
3. providing for two ~~household residential~~ units per site in the General ~~R~~esidential ~~z~~Zone and three residential units per site in the Medium Density Residential Zone; and
4. allowing non-compliance with minimum allotment ~~lot~~ design standards for allotments created around existing residential units; and
5. avoiding the creation of more than one large allotment in the Medium ~~d~~Density ~~R~~esidential ~~z~~Zone unless intensification is prevented by natural or physical site constraints.

SUB-P12 Non-compliant allotment size

Avoid subdivision in the General Residential Zones ~~s~~ that does not comply with the minimum allotment design and parameters unless:

1. the subdivision design maintains the residential character and amenity values of the area; and
2. it can be demonstrated that it is consistent with the character and qualities of development envisaged by General Residential Zone; and
3. it does not individually or cumulatively affect the ability of the properties in the Zzone, specific control area or precinct to be developed or serviced now or in the future to the density anticipated in the Zzone, specific control area or precinct.

Subdivision in Development Areas

SUB-P13 Development Area Plans

Require subdivisions to ~~be in general accordance with~~³⁶ the relevant DAP Development Area Plan, unless it can be demonstrated that an alternative proposal can ~~better~~³⁷ achieve the objectives of the Development Area ~~Plan~~³⁸.

Rural Subdivisions

SUB-P14 Rural allotments

Avoid subdivision that creates allotments that are less than the required minimum allotment size within the General Rural Zone and Rural Lifestyle Zone unless:

³⁴ Clause 16(2), Schedule 1 of the RMA

³⁵ Clause 16(2), Schedule 1 of the RMA

³⁶ BGDL [167.13]

³⁷ BGDL [167.13]

³⁸ Clause 16(2), Schedule 1 of the RMA

1. the subdivided allotments are solely for the purpose of network utilities, esplanade reserves or esplanade strips, roads, walkways, cycleways or access; or
2. the non-compliance is minor and the subdivision maintains the residential unit dwelling density anticipated for the zone; and ³⁹or
3. the subdivision is necessary for natural hazard mitigation works; or
4. the subdivision is necessary to protect the values of sensitive environments.

SUB-P15 Rural Lifestyle Zone

Require subdivision in the Rural Lifestyle Zone to:

1. maintain the character and qualities of the Rural Lifestyle Zone; and
2. connect to the Council reticulated drinking water network; and
3. require connection to the Council reticulated wastewater networks where available, or if not available, provide a suitable site area for on-site disposal; and
4. maintain larger allotment sizes in the Geraldine Downs to protect its landscape character and amenity values.

Rules

Note: All subdivision activity requires resource consent. For certain activities, consent may be required by rules in more than one chapter in the District Plan. Unless expressly stated otherwise by a rule, consent is required under each of those rules. The steps plan users should take to determine what rules apply to any activity, and the status of that activity, are provided in Part 1, HPW — How the Plan Works - General Approach.

SUB-R1 Boundary adjustments		
All zones	Activity status: Controlled Where: CON-1 SUB-S1 is complied with; and CON-2 SUB-S2 to SUB-S7 are complied with. Matters of control are restricted to: 1. the location, size and design of allotments, building platforms, roads, accessways, right of ways, vehicle crossings, open space, reserves, landscaping and connections to the surrounding area; and 2. the ability to accommodate permitted and/or intended land uses; and 3. the compatibility with the purpose, character and qualities of the zone; and 4. the response to the site's and surrounding areas natural and	Activity status when compliance not achieved <u>with</u> CON-2: Restricted Discretionary Matters of discretion are restricted to: 1. the matters of control listed in CON-1 and CON-2; and 2. the matters of discretion of any infringed standard.
		Activity status when compliance not achieved with CON-1: Non-Complying Discretionary⁴⁰

³⁹ Clause 16(2), Schedule 1 of the RMA

⁴⁰ Speirs, B [66.56], MFL [60.26]

	physical features, character, amenity, constraints and vegetation; and 5. the provision, location, design, specification, construction, connection and timing of infrastructure, transport links, water sensitive design measures and firefighting water supply; and 6. the extent to which infrastructure has capacity to service the subdivision; and 7. legal and physical access arrangements; and 8. the requirement for any consent notices, covenants, easements, esplanades or public access; and 9. measures to avoid, remedy or mitigate adverse effects: - of any natural hazards or other risks; and - on any sensitive environments, waterbodies, ecosystems or notable trees; and - on infrastructure; and - on existing or permitted adjoining or adjacent land uses; and 10. the ability of any existing activity on the site to comply with the District Plan and/or existing resource consent; and 11. the suitability of any future development that would be enabled as a result of the subdivision; and 12. whether it is appropriate that the subdivision prevents, hinders or limits the development of adjoining or adjacent land; and <u>and</u> 13. measures to manage adverse effects.	
SUB-R2	Subdivision that creates new allotments solely for the purpose of network utilities, the nNational gGrid or roads	
All zones	Activity status: Controlled Where: CON-1 SUB-S2, SUB-S7 and SUB-S8 are complied with. Matters of control are restricted to: The location, size and design of allotments, building platforms, roads, accessways, right of ways, vehicle crossings, open space, reserves,	Activity status when compliance not achieved: Restricted Discretionary Where: RDIS -1 Compliance is not achieved with CON-1. Matters of discretion are restricted to: - the matters of control relevant to CON-1; and - the matters of discretion of any infringed standard.

	landscaping and connections to the surrounding area; and 2. the ability to accommodate permitted and/or intended land uses; and 3. the compatibility with the purpose, character and qualities of the zone; and 4. the response to the site's and surrounding areas natural and physical features, character, amenity, constraints and vegetation; and 5. the provision, location, design, specification, construction, connection and timing of infrastructure, transport links, water sensitive design measures and firefighting water supply; and 6. the extent to which infrastructure has capacity to service the subdivision; and 7. legal and physical access arrangements; and 8. the requirement for any consent notices, covenants, easements, esplanades or public access; and 9. measures to avoid, remedy or mitigate adverse effects: a. of any natural hazards or other risks; and b. on any sensitive environments, waterbodies, ecosystems or notable trees; and c. on infrastructure; and d. on existing or permitted adjoining or adjacent land uses; and 10. the ability of any existing activity on the site to comply with the District Plan and/or existing resource consent; and 11. the suitability of any future development that would be enabled as a result of the subdivision; and 12. whether it is appropriate that the subdivision prevents, hinders or limits the development of adjoining or adjacent land; <u>and</u>⁴¹ 13. measures to manage adverse effects.	
SUB-R3	Subdivision not listed in SUB-R1 and SUB-R2	
All zones	Activity status: Restricted Discretionary Where:	Activity status when compliance not achieved with RDIS-1: Restricted Discretionary

⁴¹ Clause 16(2), Schedule 1 of the RMA

	RDIS-1 SUB-S2 — <u>to</u> SUB-S7 are complied with; and RDIS-2 SUB-S1 is complied with. Matters of discretion are restricted to: 1. the the location, size and design of allotments, building platforms, roads, accessways, right of ways, vehicle crossings, open space, reserves, landscaping and connections to the surrounding area; and 2. the ability to accommodate permitted and/or intended land uses; and 3. the compatibility with the purpose, character and qualities of the zone; and 4. the response to the site's and surrounding areas natural and physical features, character, amenity, constraints and vegetation; and 5. the provision, location, design, specification, construction, connection and timing of infrastructure, transport links, water sensitive design measures and firefighting water supply; and 6. the extent to which infrastructure has capacity to service the subdivision; and 7. legal and physical access arrangements; and 8. the requirement for any consent notices, covenants, easements, esplanades or public access; and 9. measures to avoid, remedy or mitigate adverse effects: a. of any natural hazards or other risks; and b. on any sensitive environments, waterbodies, ecosystems or notable trees; and c. on infrastructure; and d. on existing or permitted adjoining or adjacent land uses; and 10. the ability of any existing activity on the site to comply with the District Plan and/or existing resource consent; and	Matters of discretion are restricted to: 1. the matters of discretion listed in RDIS-1; and 2. the matters of discretion of any infringed standard. Activity status when compliance not achieved with RDIS-2: Non-complying
--	---	--

	11. the suitability of any future development that would be enabled as a result of the subdivision; and 12. whether it is appropriate that the subdivision prevents, hinders or limits the development of adjoining or adjacent land; <u>and</u>⁴² 13. measures to manage adverse effects; <u>and</u> 14. <u>the impact of the subdivision on the on-going delivery of existing public flood or erosion protection or drainage works.</u>⁴³	
SUB-R4 Subdivision of land within and the National Grid Subdivision Corridor⁴⁴		
<u>All Zzones</u>	<u>Activity status: Restricted Discretionary</u>	<u>Activity status when compliance not achieved: Non-complying</u>
	<u>Where:</u> <u>RDIS-1</u> <u>All resulting allotments can accommodate a building platform for the likely principal building(s) and any building(s) for sensitive activities outside the National Grid Yard (other than where the allotments are for roads, access ways and network utilities); and</u> <u>RDIS-2</u> <u>Existing vehicle access way to National Grid assets is maintained.</u> <u>Matters over which of discretion are is restricted to:</u> <u>1. the extent to which the subdivision allows for the ongoing efficient operation, maintenance and upgrading of the National Grid, including the ability for continued reasonable access for inspections, maintenance and upgrading; and</u> <u>2. the location of any future building platform as it relates to the National Grid Yard; and</u> <u>3. the extent to which the subdivision design allows for any future sensitive activity to be setback from the National Grid; and</u>	

⁴² Clause 16(2), Schedule 1 of the RMA

⁴³ ECan [183.104]

⁴⁴ Clause 10(2)(b), Schedule 1 of the RMA relying on Speirs, B [66.45 to 66.54]

	4. <u>the nature and location of any vegetation to be planted in the vicinity of the National Grid; and</u> 5. <u>the ability of future development to comply with NZECP 34:2001 New Zealand Electricity Code of Practice for Electricity Safe Distances; and</u> 6. <u>the risk of electrical hazards affecting public or individual safety, and the risk of property damage; and</u> 7. <u>the outcome of any consultation with the owner and operator of the National Grid.</u>	
SUB-R5	<u>Subdivision and within Nnatural Hazards overlays⁴⁵</u>	
<u>1 Flood Assessment Area Overlay outside the Port Zone⁴⁶</u>	<u>Activity status: Restricted Discretionary</u> <u>Where:</u> <u>RDIS-1</u> <u>A Flood Risk Assessment Certificate for the subdivision is issued in accordance with NH-S1; and</u> <u>RDIS-2</u> <u>The site is not subject to high hazard flooding as stated in a Flood Risk Certificate issued under RDIS-1.</u> <u>A building platform is identified on the subdivision plan and it is not located within a high hazard area as stated in a Flood Assessment Certificate issued in accordance with NH-S1.⁴⁷</u> <u>Matters of discretion are restricted to:</u> 1. <u>the design and layout of the subdivision, including effects on public spaces and development sites, and on overland flow path(s); and</u> 2. <u>the provision for any overland flow paths to remain or the provision of secondary flow paths; and</u> 3. <u>any potential effects of diverting or blocking overland flow path(s) on</u>	<u>Activity status when nre compliance not achieved with RDIS-2: Not applicable if located within an urban zoned area</u> <u>Restricted Discretionary</u> <u>Where:</u> <u>RDIS-3</u> <u>The subdivision is within an urban zoned area.⁴⁹</u> <u>non-complying if located outside of an urban zoned area</u> <u>Activity status when nre compliance not achieved with RDIS-1 or RDIS-3: Non-complying</u>

⁴⁵ Speirs, B [66.45]

⁴⁶ Clause 16(2) – rule restructure to combine the Port Zone and non-Port Zone subdivision rules in the subdivision chapter

⁴⁷ ECan [183.47]

⁴⁹ ECan [183.47]

	<u>future development within the subdivision; and</u> <u>any increased flood risk for people, property, or public spaces; and</u> <u>the effectiveness and potential adverse effects of any proposed mitigation measures; and</u> <u>the extent to which it will require new or upgraded public natural hazard mitigation works; and</u> <u>any increase in reliance on emergency services; and</u> <u>for development within the Māori Purpose Zone, the extent to which meeting the requirements of the rule compromises the purpose for which the Māori Purpose Zone MPZ was created and the anticipated activities within the MPZ Zone, and the views of mana whenua, if provided.</u>⁴⁸	
1A⁵⁰ <u>Flood Assessment Area Overlay within the Port Zone</u> <u>Sea Water Inundation Overlay within the Port Zone</u> <u>Coastal Erosion Overlay within the Port Zone</u> ⁵¹	<u>Activity status: Restricted Discretionary</u> <u>Matters of discretion are restricted to:</u> <u>the design and layout of the subdivision, in relation to natural hazards; and</u> <u>any potential effects of diverting or blocking overland flowpath(s) on future development within the subdivision; and</u> <u>any increased flood risk for people, property, or public spaces; and</u> <u>the effectiveness and potential adverse effects of any proposed mitigation measures; and</u> <u>the extent to which future development will require new or upgraded public natural hazard mitigation works; and</u> <u>any increase in reliance on emergency services; and</u> <u>the matters set out in NH-P11 and CE-P15.</u>⁵²	<u>Activity status where compliance not achieved: Not applicable</u>

⁴⁸ Te Rūnanga o Ngāi Tahu [185.19], Waipopo Huts [189.48], Te Kotare Trust [115.1]

⁵⁰ Clause 16(2) – rule restructure to combine the Port Zone and non-Port Zone subdivision rules in the subdivision chapter

⁵¹ ECan [183.133] – consequential addition given the additional Coastal Erosion Overlay identified at the Port, as identified in the evidence of Mr Walsh dated 9 April, at paragraph 80.

⁵² PrimePort [175 - various] and Timaru District Holdings [186 - various]

<u>2</u> <u>Liquefaction</u> <u>Awareness</u> <u>Areas Overlay</u>	<u>Activity status: Restricted</u> <u>Discretionary</u> <u>Matters of discretion are restricted to:</u> 1. <u>the appropriateness of the site for development; and</u> 2. <u>the liquefaction category that applies to the site and the level of risk to property and Rregionally Ssignificant Infrastructure; and</u> 3. <u>whether the appropriate geotechnical data has been uploaded to the New Zealand Geotechnical Database; and</u> 4. <u>the appropriateness of the techniques proposed for remediation and mitigation of the effects of any liquefaction hazard identified i.e. ground strengthening and if these are supported by a suitably qualified and experienced professional; and</u> 5. <u>the extent to which the siting and layout of the proposal is appropriate.</u>	<u>Activity status when nre compliance not achieved: Not applicable</u>
<u>3</u> <u>Earthquake</u> <u>Fault</u> <u>(sSubdivision)</u> <u>Awareness</u> <u>Areas Overlay</u>	<u>Activity status: Restricted</u> <u>Discretionary</u> <u>Where:</u> <u>RDIS-1</u> <u>The subdivision design ensures that any future building or structure will be located at least 20m metres away from any detailed area of fault or fold deformation.</u> <u>Matters of discretion are restricted to:</u> 1. <u>whether the surface fault rupture hazard has been adequately assessed by a suitably qualified and experienced professional; and</u> 2. <u>the adequacy of any engineered solution proposed to mitigate the surface fault rupture hazard.</u> <u>Note: The investigation report is also to be supplied to CRC Canterbury Regional Council.</u>	<u>Activity status when nre compliance not achieved: Discretionary</u>
<u>4</u> <u>Coastal</u> <u>Erosion</u> <u>Overlay</u>	<u>Activity status: Restricted</u> <u>Discretionary</u> <u>Where:</u>	<u>Activity status when compliance not achieved: Non-complying</u>

<u>outside the Port Zone</u> ⁵³	<u>RDIS-1</u> <u>A building platform is identified on the subdivision plan and it is not located within the Coastal Erosion Overlay.</u> <u>Matters of discretion are restricted to:</u> <u>1. the extent to which the proposal results in an increased risk of economic, social or environmental harm; and</u> <u>2. whether the proposal includes hazard mitigation; and</u> <u>3. the extent to which future building or structure has a functional need or operational need for its location; and</u> <u>4. the extent of any positive benefits that will result from the proposal; and</u> <u>5. the extent to which the proposal creates natural hazard risks on adjacent properties; and</u> <u>6. the location of any proposed building that will accommodate a natural hazard sensitive building, including the level of certainty of the projected future shoreline, including whether the erosion is very likely within a medium term as opposed to more uncertain over a longer-term period.</u>⁵⁴	
<u>High Hazard Area Overlay</u>	<u>Activity status: Non-complying</u>	<u>Activity status where compliance not achieved: Not applicable</u> ⁵⁵
<u>SUB-R6</u>	<u>Subdivision of land containing a Hhistoric Heritage item</u> ⁵⁶	
<u>All Zones</u>	<u>Activity status: Discretionary</u>	<u>Activity status where nre compliance not achieved: Not applicable</u>
<u>SUB-R7</u>	<u>Subdivision of land within a Hhistoric Heritage Area</u> ⁵⁷	
<u>Historic Heritage Areas</u>	<u>Activity status: Discretionary</u>	<u>Activity status where nre compliance not achieved: Not applicable</u>
<u>SUB-R8</u>	<u>Subdivision and Ssites and Areas of Ssignificance to Māori</u> ⁵⁸	
<u>Wāhi taoka, wāhi tapu, wai taoka, and wai tapu overlays</u>	<u>Activity status: Discretionary</u>	<u>Activity status where nre compliance not achieved: nNot applicable</u>

⁵³ Clause 16(2) – rule restructure to combine the Port Zone and non-Port Zone subdivision rules in the subdivision chapter

⁵⁴ ECan [183.109]

⁵⁵ Kāinga Ora [229.39]

⁵⁶ Speirs, B [66.46]

⁵⁷ Speirs, B [66.47]

⁵⁸ Speirs, B [66.48]

SUB-R9	<u>Subdivision and Ssignificant Nnatural Aareas⁵⁹</u>	
<u>Sites containing a Significant Natural Area</u>	<u>Activity Status: Discretionary</u>	<u>Activity status when nre compliance not achieved: Not Applicable</u>
SUB-R10	<u>Subdivision within a and Rriparian Mmargin⁶⁰</u>	
<u>All zones except the General Rural Zone and Rural Lifestyle Zoness</u>	<u>Activity status: Discretionary</u>	<u>Activity status when nre compliance not achieved: Not applicable</u>
SUB-R11	<u>Subdivision and Nnatural Features and Landscapes⁶¹</u>	
<u>Outstanding Natural Features NE Overlay</u> <u>Outstanding Natural Landscapes NL Overlay</u> <u>Visual Amenity Landscapes AL Overlay</u>	<u>Activity status: Discretionary</u>	<u>Activity status when compliance not achieved: Not applicable</u>
SUB-R12	<u>Subdivision and within the Ccoastal Eenvironment⁶²</u>	
<u>1 Coastal Environment Area Overlay</u>	<u>Activity status: Restricted Discretionary</u> <u>Where:</u> <u>RDIS-1</u> <u>The site is not located within the Coastal High Natural Character Area Overlay.</u> <u>Matters of discretion are restricted to:</u> <u>any adverse impacts on the identified matters contained in CE-</u>	<u>Activity status when compliance not achieved: Not applicable Discretionary</u> <u>Note:</u> <u>Where a resource consent is required as a Ddiscretionary activity under RDIS-1,⁶⁴ future building platforms must be indicated in the application and will be registered on the Certificate-Record of Titles of resulting new allotments.</u>

⁵⁹ Speirs, B [66.49]⁶⁰ Speirs, B [66.50]⁶¹ Speirs, B [66.51]⁶² Speirs, B [66.53]⁶⁴ Clause 16(2) for clarity

	P4, CE-P5, CE-P6, CE-P7, CE-P8, CE-P9⁶³, and CE-P11; and 2. <u>the extent to which the subdivision and future building and structure will result in adverse cumulative adverse effects.</u>	
<u>Sea Water Inundation Overlay</u>	<u>Activity status: Restricted Discretionary</u> <u>Matters of discretion are restricted to:</u> <u>1. the extent to which the proposal results in an increased risk of economic, social or environmental harm;</u> <u>2. whether the proposal includes natural hazard mitigation;</u> <u>3. the extent to which future building or structure has a functional need or operational need for its location; and</u> <u>4. the extent of any positive benefits that will result from the proposal; and</u> <u>5. the extent to which the proposal creates natural hazard risks on adjacent properties; and</u> <u>6. the location of any proposed building that will accommodate a natural hazard sensitive activity.</u>	<u>Activity status when compliance not achieved: Not applicable</u>
<u>3 Coastal High Natural Character Area Overlay</u>	<u>Activity status: Discretionary</u> <i><u>Note: Future building platform must be indicated in the application and will be registered on the Certificate of Titles of resulting new allotments.</u></i>	<u>Activity status when compliance not achieved: Not applicable</u>
<u>4 Coastal Erosion Overlay</u>	<u>Activity status: Non-complying</u>	<u>Activity status when compliance not achieved: Not applicable</u>
<u>SUB-R13</u>	<u>Subdivision of and highly productive land Versatile Soil⁶⁵</u>	
<u>All zones</u>	<u>Activity status: Restricted Discretionary</u> <u>Matters of discretion are restricted to:</u> <u>1. the extent to which the proposed subdivision and the layout of allotments will result in</u>	<u>Activity status when re compliance not achieved: Not applicable</u>

⁶³ Clause 16(2) to address a policy omission

⁶⁵ Clause 10(2)(b) Schedule 1 of the RMA relying on Speirs, B [66.45 to 66.54]

	fragmentation of <u>highly productive land versatile soils</u>; and 2. <u>the extent to which the size and shape of any proposed allotments will allow for any highly productive land versatile soils to continue to be used for non-intensive primary production; and</u> 3. <u>the extent to which the subdivision achieves the requirements of the NPSHPL.</u>	
SUB-R14	Subdivision not connected to a community sewage wastewater treatment⁶⁶ system, expect that this shall not apply to boundary adjustments where no additional lots are created⁶⁷ and Drinking Water Protection⁶⁸	
<u>Drinking Water Protection Area - for a Community Drinking Water Supply</u> <u>Drinking Water Protection Area - within 50m from a private drinking water supply</u>	<u>Activity status: Restricted Discretionary</u> <u>Where:</u> <u>RDIS-1</u> <u>The subdivision is connected to a community wastewater treatment system.</u>⁶⁹ <u>Matters of control discretion are restricted to:</u> <u>any impact on the safety of drinking water supplies for human consumption, and measures to avoid or mitigate these effects; and</u> <u>the proximity of the land use activity to the drinking water supply, and measures taken to protect the supply point from the effects of the activity; and</u> <u>risks that the proposed activity may pose to the source of a drinking water supply that are identified in a source water risk management plan prepared in accordance with the requirements of the Water Services Act 2021.</u>	<u>Activity status where compliance not achieved: Not Applicable</u>

Standards

SUB-S1	Allotment sizes and dimensions
1	1. Allotments must have a minimum net site area of 450m ² in area; and

⁶⁶ TDC [41.42]

⁶⁷ Rooney, et al [174.61, 191.61, 249.61, 250.61, 251.61, 252.61]

⁶⁸ Speirs, B [66.54]

⁶⁹ Milward Finlay Lobb [60.29], Bruce Speirs [66.29], TDC [41.2]

General Residential Zone	2. Allotments must have a minimum dimension that can accommodate a circle with a 15m diameter, clear of any vehicle access, surface water-body or boundary setback; and 3. Within the Gleniti Low Density Residential Specific Control Area, allotments must have a minimum net site area of 700m² in area; and 4. Within PREC1 - Old North General Residential Precinct, allotments must have a minimum net site area of 1,500m² in area. Except that: 5. Clauses 1 and 2 above do not apply to allotments created around an existing residential unit, in which case there is no minimum net site area or dimensions requirementss.		
² Medium Density Residential Zone	1. Allotments must have a minimum net site area of 300m² in area; and 2. No more than one allotment that is more than 500m² in net site area; and 3. Allotments must have a⁷⁰ dimensions that can accommodate a circle with a minimum 13m diameter, clear of any vehicle access, surface water-body or boundary setback. Except that 4. No minimum net site area or dimension applies to allotments created: a. around an existing residential unit; or b. a proposed residential unit that is part of a combined land use and subdivision consent application, <u>or does not require a land use consent</u>⁷¹.		
³ General Rural Zone	1. Allotments must have a minimum net site area of 40ha in area.		
⁴ Rural Lifestyle Zone	If no development area plan is required, allotments must have a net site area no less than: 1. 5,000m² sqm for Lots 1 and 2 DP 444786; 2. 2ha in the 2ha Allotment Size eSpecific eControl aArea; 3. 10ha in the 10ha Allotment Size eSpecific eControl aArea; and 4. in any other areas, 5,000m² if there is a sewer connection to each residential allotment, otherwise 2ha.		
⁵ Development Areas	1. As specified in the relevant Development aArea eChapter.		
⁶ General Industrial Zone	1. Allotments must have <u>legal access to</u>⁷² a minimum road frontage width of 7m.		
SUB-S2	Stormwater treatment, catchment and disposal		
All zones	<table border="0"> <tr> <td data-bbox="309 1742 898 1861"> 1. Stormwater management must be provided in accordance with the Sstormwater Sstandards in the </td><td data-bbox="898 1742 1485 1861"> Matters of discretion are restricted to: 1. any relevant matters of discretion for non-compliance with the Sstormwater </td></tr> </table>	1. Stormwater management must be provided in accordance with the Sstormwater Sstandards in the	Matters of discretion are restricted to: 1. any relevant matters of discretion for non-compliance with the Sstormwater
1. Stormwater management must be provided in accordance with the Sstormwater Sstandards in the	Matters of discretion are restricted to: 1. any relevant matters of discretion for non-compliance with the Sstormwater		

⁷⁰ Clause 16(2), Schedule 1 of the RMA

⁷¹ BGD [167.17]

⁷² RHL [174.54], Rooney, GJH [191.54], RGL [249.54], RFL [250.54], REL [251.54] and TDL [252.54]

	Stormwater mManagement eChapter; <u>and</u> - Allotments must be connected to a reticulated stormwater network where: - a conveyance structure that forms part of a reticulated stormwater network passes within 50m of the allotment boundary; and - stormwater is able to be conveyed into the reticulated network under gravity; and - the distance between the conveyance structure and the source of the stormwater is less than 100m; and - the network utility operator has confirmed in writing that it will accept the stormwater from the allotment; <u>and</u> - Each allotment required to connect to a reticulated stormwater network under SUB-S2.2 must be provided with a piped outfall connection laid at least 600mm into the net site area of the allotment; <u>and</u> - Where an allotment will not be connected to a reticulated stormwater network, all stormwater must be disposed within the net site area of the allotment.	Sstandards in the Stormwater mManagement eChapter; and - the extent to which stormwater runoff from the allotment may adversely affect adjoining properties; and - any adverse effect on the need for a reticulated stormwater network; <u>and</u>⁷³ - the need for the stormwater network to be upgraded or extended in order for the allotments to be served; <u>and</u> <u>the effects of the discharge on the values of Kāti Huirapa.</u>⁷⁴
SUB-S3	Water supply	
1 General Rural Zone	- All allotments within a rural water supply scheme must have either: - approval for the allotment to connect to a rural water supply scheme provided in writing from the relevant network utility operator; or - evidence of an alternative water supply capable of providing a minimum of 56 <u>65</u>⁷⁵ litres per hectare per day; or - evidence the future use of the allotment does not require water supply, and a consent notice	Matters of discretion <u>are</u> restricted to: the need for a consent notice <u>mechanism</u>⁷⁷ stating that the provision of water to the site is the owner's responsibility on a continuing basis.

⁷³ Clause 16(2), Schedule 1 of the RMA

⁷⁴ TRoNT [185.63]

⁷⁵ TDC [42.38]

⁷⁷ Clause 10(2)(b), Schedule 1 of the RMA relying on RHL [174.55], Rooney, GJH [191.55], RGL [249.55], RFL [250.55], REL [251.55] and TDL [252.55]

	<u>mechanism</u>⁷⁶ is proposed alerting future purchasers. Notes: • The documentation required to satisfy 1a or 1b or 1c must be provided to the Council. • This standard does not apply to allotments outside a rural water supply scheme.	
2 Rural Lifestyle Zone	Each allotment must: 1. be within a reticulated drinking water supply network; and 2. be provided with confirmation in writing from the relevant network utility operator that it has capacity for an additional connection; and 3. be provided be provided with a connection laid at least 600mm into the allotment. Note: This standard does not apply to allotments for a <u>network</u> utility, road, reserve or for access purposes.	Matters of discretion <u>are</u> restricted to: 1. the suitability of the water supply for the intended activities on the site; and 2. the suitability of the water supply for firefighting purposes; and 3. any adverse effect on the water supply network; <u>and</u>⁷⁸ 4. the need for the reticulated water supply network to be extended or upgraded in order for the allotments to be served.
3. All other zones	1. In areas where a reticulated drinking water supply network is available and the network utility operator has confirmed in writing that it has capacity for an additional connection, all allotments must be provided with a connection laid at least 600mm into the net site area of the allotment; <u>and</u> 2. Where a reticulated drinking water supply network is not available water supply must be available to each allotment by way of either: a. access to a private water bore with a minimum flow rate of 700ml/minute; or b. on-site storage of at least 45,000 litres of drinking water; Note: This standard does not apply to allotments for a <u>network</u> utility, road, reserve or for access purposes.	Matters of discretion <u>are</u> restricted to: 1. the suitability of the water supply for the intended activities on the site; and 2. the suitability of the water supply for firefighting purposes; and 3. any adverse effect on the water supply network; <u>and</u> 4. the need for the reticulated water supply network to be extended or upgraded in order for the allotments to be served.
SUB-S4	Wastewater disposal	

⁷⁶ RHL [174.55], Rooney, GJH [191.55], RGL [249.55], RFL [250.55], REL [251.55] and TDL [252.55]

⁷⁸ Clause 16(2), Schedule 1 of the RMA

1. Residential zones Commercial and mixed use zones General Industrial Zone Sport and Active Recreation Zone Port Zone	1. All allotments must be connected to a reticulated wastewater network, except for allotments for a <u>network</u> utility, road, reserve or for access purposes.	Matters of discretion <u>are</u> restricted to: 1. the need for a wastewater disposal system; and 2. the suitability of an alternative wastewater disposal system; <u>and</u> 3. <u>the effects of the discharge on the values of Kāti Huirapa.</u>⁷⁹
2. Rural zones Natural Open Space Zone Open Space Zone Māori Purpose Zone	1. All allotments must be connected to a reticulated wastewater network where: a. a wastewater pipeline passes within 50m of the allotment boundary; and b. the distance between the pipeline and the building where wastewater is generated is less than 100m; and c. the network utility operator has confirmed that it will accept the wastewater from the property <u>and</u> 2. Where a connection to the Council's urban reticulated wastewater system is not available, the subdivision application must demonstrate that the discharge of wastewater to ground either complies with the Canterbury Regional Council regional <u>Plan</u>, or has a <u>CRC</u> discharge consent.	Matters of discretion are restricted to: 1. the need for a disposal system; and 2. the suitability of an alternative wastewater disposal system; and 3. the size of the allotment to accommodate a discharge to ground; <u>and</u> 4. <u>the effects of the discharge on the values of Kāti Huirapa.</u>⁸⁰
SUB-S5	Electricity supply and telecommunications	
1⁸¹ All zones except <u>the</u> General Rural Zone	All allotments, other than allotments for access, roads, <u>network</u> utilities or reserves, must be provided with connections at the boundary of the net area of the allotment to an electricity supply and telecommunication	Matters of discretion <u>are</u> restricted to: 1. whether an electricity <u>supply</u>⁸⁴ and telecommunication <u>service</u>⁸⁵ supply

⁷⁹ TRoNT [185.63]

⁸⁰ TRoNT [185.63]

⁸¹ Connexa [176.82], Spark [208.82], Chorus [209.82] and Vodafone [210.82]

⁸⁴ Clause 16(2), Schedule 1 of the RMA

⁸⁵ Clause 10(2)(b), Schedule 1 of the RMA relying on Connexa [176.82], Spark [208.82], Chorus [209.82] and Vodafone [210.82]

	system networks <u>service through an open access fibre network</u>⁸², unless evidence is provided that a suitable alternative supply can be provided, and a consent notice mechanism⁸³ is proposed alerting future purchasers. This standard does not apply to allotments for a <u>network</u> utility, road, reserve or for access purposes.	<u>are</u>⁸⁶ needed for the intended use; and 2. the suitability of the alternative provision of telecommunication <u>service</u>⁸⁷ and electrical supply; and 3. whether a consent notice mechanism⁸⁸ is required to alert any potential purchasers; <u>and</u> 4. <u>whether sufficient land for telecommunications, and any associated ancillary services has been set aside; and</u> 5. <u>for a subdivision that creates more than 15 allotments, whether consultation with a telecommunications network utility operator is required</u>; <u>and</u> 6. <u>whether any easements are necessary for the protection of electricity supply and telecommunications network utility services.</u>⁸⁹
2 General Rural Zone	All allotments, other than allotments for access, roads, <u>network</u> utilities or reserves, must be provided with connections at the boundary of the net area of the allotment to <u>an electricity supply and telecommunication service connection (fibre, mobile or wireless including satellite), unless evidence is provided that a suitable alternative supply can be provided, and a mechanism is proposed alerting future purchasers.</u> This standard does not apply to allotments for a <u>network</u> utility, road, reserve or for access purposes.	Matters of discretion <u>are</u> restricted to: 1. <u>whether an electricity supply and telecommunication service are needed for the intended use; and</u> 2. <u>the suitability of the alternative provision of telecommunication service and electrical supply; and</u> 3. <u>whether a mechanism is required to alert any potential purchasers; and</u> 4. <u>whether any easements are necessary for the protection of electricity supply and telecommunications network utility services.</u>⁹⁰
SUB-S6	Vehicular <u>A</u>ccess	
All zones	1. All allotments must be provided with legal and physical access to a road; <u>and</u>	Matters of discretion <u>are</u> restricted to: 1. The need for legal and physical access to the site; and

⁸² Connexa [176.82], Spark [208.82], Chorus [209.82] and Vodafone [210.82]

⁸³ Clause 10(2)(b), Schedule 1 of the RMA relying on RHL [174.55], Rooney, GJH [191.55], RGL [249.55], RFL [250.55], REL [251.55] and TDL [252.55]

⁸⁶ Clause 16(2), Schedule 1 of the RMA

⁸⁷ Clause 10(2)(b), Schedule 1 of the RMA relying on Connexa [176.82], Spark [208.82], Chorus [209.82] and Vodafone [210.82]

⁸⁸ Clause 10(2)(b), Schedule 1 of the RMA relying on RHL [174.55], Rooney, GJH [191.55], RGL [249.55], RFL [250.55], REL [251.55] and TDL [252.55]

⁸⁹ Connexa [176.82], Spark [208.82], Chorus [209.82] and Vodafone [210.82]

⁹⁰ Connexa [176.82], Spark [208.82], Chorus [209.82] and Vodafone [210.82]

	2. <u>Any new vehicular</u> Vehicular⁹¹ access must not be to a state highway, or across a railway line; <u>and</u> 3. The vehicular access shall be designed and constructed in accordance with the requirements in the Transport Cchapter; <u>and</u> 4. For developments where a fire appliance is not able to reach either: - the residential unit; or - a firefighting water supply source from the public road, vehicle access for fire appliances must be provided in accordance with SNZ PAS 4509:2008 New Zealand Fire Service Firefighting Water Supplies Code of Practice.	2. the effects of any alternative access proposed; 3. the safety and efficiency of the road; <u>and</u> 4. the outcome of any consultation with NZTA; <u>and</u> 5. the matters of discretion relevant to any <u>Transport</u> TRAN Cchapter standard breached.
SUB-S7 Roads, cycleways and pedestrian access		
1. All zones	All roads, cycleways and pedestrian access es must be designed, constructed and vested in accordance with the Transport S standards in the Transport e Chapter except where alternative standards are set out in a Development <u>Area Plan</u> plan-area chapter.	Matters of discretion <u>are</u> restricted to: the <u>Transport</u> TRAN eChapter matters of discretion relevant to the standard breached.
2. Geraldine Downs - Walking and Cycling Tracks s <u>Specific</u> e <u>Control</u> a <u>Areas</u>	A 5m wide access <u>allotment</u> is vested to Timaru District Council in accordance with the Geraldine Downs w <u>Walking</u> and e <u>Cycling</u> t <u>Tracks</u> s <u>Specific</u> e <u>Control</u> a <u>Area</u> as showing <u>shown</u> ⁹² on the planning map.	Matters of discretion <u>are</u> restricted to: the extent to which the proposal would affect the ability for the Geraldine Downs w<u>Walking</u> and e<u>Cycling</u> tracks to be established.
SUB-S8 Esplanade reserves and <u>esplanade</u> strips		
All zones (except the Port Zone)	1. Where land is subdivided adjoining the coast, or any river listed in SCHED-12 — Esplanade Provisions, unless otherwise specified in the schedule, an esplanade reserve, esplanade strip or access strip (at Council's discretion) must be provided along the margins of the coast/river, with a minimum width of: 5m where an allotment(s) of 4ha or more is created; <u>or</u>	Matters of discretion <u>are</u> restricted to: - the extent to which the purpose of the required esplanade reserve or esplanade strip can be achieved through alternative means; and - the extent to which a reduced width will impact on the ability to achieve the intended purpose of the esplanade reserve or <u>esplanade</u> strip; <u>and</u>⁹³ - the extent to which the ability to provide the required esplanade

⁹¹ RHL [174.57], Rooney, GJH [191.57], RGL [249.57], RFL [250.57], REL [251.57] and TDL [252.57]

⁹² Clause 16(2), Schedule 1 of the RMA

⁹³ Clause 16(2), Schedule 1 of the RMA

	b. 10m where an allotment(s) of less than 4ha is created; <u>and</u> 2. No esplanade reserve or esplanade strip is required where the public access or the conservation or recreation values identified in SCHED 12 Esplanade Provisions is secured by a marginal strip under Part IV of the Conservation Act 1987.	reserve or <u>esplanade</u> strip is constrained by the site's physical characteristics or constraints; and 4. the extent to which provision of the required esplanade reserve or <u>esplanade</u> strip may adversely affect public health and safety; and 5. the costs of acquiring and maintaining the required esplanade reserve or <u>esplanade</u> strip, in comparison to the public benefit; <u>and</u> 6. <u>the impact of taking the esplanade provision on Kāti Huirapa values.</u>⁹⁴
--	---	---

⁹⁴ TRoNT [185.64]